Active Medical

120 Prosperous Place, Ste 103 Lexington, Ky 40509 859-421-1195

Aspen Back Brace Indications for Use:

- 1. <u>Cervical Collar</u> (Vista Collar, Vista Tx Collar, Vista Multi-post Collar): Thoracic pain, Decompression Procedures, Musculoskeletal Pain, Post-op Stabilization, Cervical Disc Syndrome, Fractures, Trauma, Whiplash, Radiculopathy, Sprains/Strains
- Therapy Collar (Vista MP Therapy Collar):
 Radiculopathy, Cervicogenic Headaches, Loss of ROM, Neck Pain, Neuropathy, Stiff Neck, Muscle Spasms, Whiplash
- 3. <u>LSO</u> (Horizon LSO 637, Summit LSO 637, Vista LSO 637):
 Post op Support/Pain, DJD, Bulging/Herniated Disc, Post-op
 Decompression, Chronic Low Back Pain, Fractures, Post-op Laminectomy,
 Spondylosis, Insidious Low Back Pain, Deconditioned Trunk Musculature,
 Sprains, Strains, Spinal Stenosis, Radiculopathy, Si Dysfunction,
 Spondylolisthesis, Facet Syndrome, IDET Procedure, Injections, Sacroilitis
- TLSO (Vista TSLO 464, Horizon TLSO 456, Summit TLSO 456):
 Post-op Decompression, Epidurals, Post-op Support/Pain Relief, Kyphosis,
 Bulging/Herniated Disc, DJD, Spinal Stenosis, Spondylolisthesis, Spondylosis,
 Fractures
- <u>Scoliosis</u> (Peak Scoli Brace System):
 Adult Scoliosis with Postural, Pain, or Quality of Life issues
- 6. <u>SI Belt</u> (Evergreen SI Belt):
 Symphysis Pubis Dysfunction, Sacroiliac Joint Dysfunction, Chronic SI Joint
 Support, SI Joint Fusion, Piriformis Syndrome, Sciatica, Pelvic Muscle Pain,
 SI Joint Pain, Low Back Pain, Low Back Sprain/Strain, Fracture, DJD